

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1013	time with space with diversity	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 12:09
L2	0	time with space with diversity with cdma	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 12:09
L3	95	time with space with diversity with cdma	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 12:09
L4	10	time with space with diversity with interleaver	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 12:12
L5	1314517	time with space with diversity with interleaver with delay wit quality	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 12:12
L6	0	time with space with diversity with interleaver with delay with quality	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 12:12
L7	7	(time with diversity) and (space with diversity) and interleaver and delay and quality and (coherence adj time)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 12:20
L8	7	(time with space with diversity) and interleaver and delay and quality and (coherence adj time)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 12:20
L9	11	(time with space with diversity) and interleaver and delay and quality and (coherence with time)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 14:39
L10	776	375/146	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 15:14

L11	897	interleav\$3 with depth	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 14:42
L12	10	11 and 10	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 14:40
L13	2115	interleav\$3 and antenna\$1 and diversity	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 15:54
L14	79	10 and 13	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 14:43
L15	18299	quality with requirements	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 15:12
L16	3	14 and 15	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 15:12
L17	280	375/135	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 15:20
L18	23	13 and 17	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 15:20
L19	1	15 and 18	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 15:15
L20	13	13 and 17 and quality	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 15:16

L21	1297	375/267	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 15:50
L22	232	13 and 21	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 15:51
L23	105	13 and 21 and requirement\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 15:22
L24	72	13 and 21 and requirement\$1 and quality	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 15:51
L25	3	13 and 21 and (quality with requirement\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 15:27
L26	2	"09/464372"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 15:27
L27	2	("2002/0154705").URPN.	USPAT	OR	OFF	2004/12/16 15:35
L28	15	walton.in. and wallace.in.	USPAT	OR	OFF	2004/12/16 15:41
L29	7	walton.in. and IFFT	USPAT	OR	OFF	2004/12/16 15:38
L30	2241	walton.in.	USPAT	OR	OFF	2004/12/16 15:38
L31	0	walton-jay.in.	USPAT	OR	OFF	2004/12/16 15:39
L32	0	"jay R. waltin"	USPAT	OR	OFF	2004/12/16 15:39
L33	769056	o	USPAT	OR	OFF	2004/12/16 15:39
L34	0	"jay R. walton"	USPAT	OR	OFF	2004/12/16 15:39
L35	0	"Jay R. Walton"	USPAT	OR	OFF	2004/12/16 15:40
L36	42	jalali.in.	USPAT	OR	OFF	2004/12/16 15:41
L37	167	jalali.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2004/12/16 15:41

L38	98	walton.in. and wallace.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/16 15:44
L39	6	walton.in. and wallace.in. and jalali	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/16 15:49
L40	5	space with time with quality with interleav\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/16 15:49
L41	372	375/299	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 15:55
L42	108	13 and 41	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 15:51
L43	37	13 and 41 and requirement\$1 and quality	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 15:51
L44	142	interleav\$3 and antenna\$1 and diversity and (requirements\$1 with quality)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 15:54
L45	3	44 and 41	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 15:55
L46	901	455/101	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 15:56
L47	5	44 and 46	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 15:56

L48	1096	455/103	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 15:56
L49	1	44 and 48	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 15:56
L50	173	square with binary with matrix	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 16:22
L51	0	(square with binary with matrix) and antenas	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 16:22
L52	2	(square with binary with matrix) and antennas	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 16:22
L53	68	channel adj coherence adj time	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 17:21
L54	28	(channel adj coherence adj time) and (data with delay)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 17:22
L55	4	(channel adj coherence adj time) and (data with delay) and interleaver	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 17:22
L56	10	(channel adj coherence adj time) and (data with delay) and interleav\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 17:22

S1	2	"5859870".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/15 16:29
S2	2	"EP 755130 A2"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/15 16:30
S3	2	"EP 722227 A1"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/15 16:31
S4	0	"WO 99/05798"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/15 16:32
S5	0	99/05798	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/15 16:32
S6	0	"99/05798"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/15 16:32
S7	13	"05798"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/15 16:33
S8	0	"PCT/IB98/00913"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/15 16:33
S9	0	"09/857488"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 12:08

[Web](#) [Images](#) [Groups](#) ^{New!} [News](#) [Froogle](#) [more »](#) [Advanced Search](#)
[Preferences](#)**Web**Results 1 - 4 of 4 for "**space-time diversity**" "**coherence time**" interleaver. (0.23 seconds)

Tip: Try removing quotes from your search to get more results.

[PPT] Space-Time CodingFile Format: Microsoft Powerpoint 97 - [View as HTML](#)... **Space-Time Diversity** Techniques. Space-Time Coding Simulation and Testing ...
Interleaver to be designed. Simulation shown that Hamming distance is ~3 ...www.ugres.ee.ucla.edu/images/upload/S_Wong_Space-Time%20Coding%20presentation%20final.ppt - [Similar pages](#)**[PDF] Improving the performance of coded FDFR multi-antenna systems with ...**File Format: PDF/Adobe Acrobat - [View as HTML](#)... instead of using one **interleaver**, the coded bits per. sub-stream are scrambled
with a ... 'block-fading' refers to the channel **coherence time**. ...spincom.ece.umn.edu/papers04/wcmc04rwang.pdf - [Similar pages](#)**[PDF] "Additional Techniques for Capacity and Flexibility Enhancement ...**

File Format: PDF/Adobe Acrobat

... **coherence time** restrictions and reduces delay in the detection process. ..."Beamforming in combination with **space-time diversity** for broad- ...doi.wiley.com/10.1002/0470871385.ch6 - [Similar pages](#)**@TECHREPORT{CERT02:Overview, AUTHOR="CE RT Coordination Center ...**... apply beamforming in combination with different **space-time diversity** techniques.... The measured median **coherence time** is at least a few seconds for ...www.cs.columbia.edu/~hgs/bib/net02.bib - 513k - [Cached](#) - [Similar pages](#) Free! [Google Desktop Search](#): Search your own computer. [Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2004 Google



Web Images Groups^{New!} News Froogle more »

"space-time diversity" "coherence time"

Search

Advanced Search
Preferences

Web

Results 1 - 23 of about 27 for "**space-time diversity**" "**coherence time**". (0.21 seconds)

[PPT] [Space-Time Coding](#)

File Format: Microsoft Powerpoint 97 - [View as HTML](#)

... **Space-Time Diversity** Techniques. Space-Time Coding Simulation and Testing ...

Td=1/f_d (**coherence time**). Ts<<Td for time non-selectivity ...

www.ugres.ee.ucla.edu/images/upload/ S_Wong_Space-Time%20Coding%20presentation%20final.ppt - [Similar pages](#)

[PDF] [Fundamental overview and simulation of MIMO systems for Space-Time ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... is useful when the **coherence time** of the channel is small compared to the ...

to as **space-time diversity**. Unlike traditional spatial diversity schemes ...

www.ece.utexas.edu/~wireless/ EE381K11_Spring03/projects/4.3.pdf - [Similar pages](#)

[PDF] [IST-2000-30173 STINGRAY Deliverable 2D1 State-of-the-Art Space ...](#)

File Format: PDF/Adobe Acrobat

... G. Ganesan and P. Stoica, "**Space-time diversity** using orthogonal and ...

were also extended to fast fading channels in which the **coherence time** of the ...

w3dpdext1.intranet.gr/stingray_docs/ stingray_2D1_public.pdf - [Similar pages](#)

[PDF] [ON THE OPTIMALITY AND PERFORMANCE OF TRANSMIT AND RECEIVE SPACE ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... is used must of course be shorter than the **coherence time** of ... 2001, Chapter

3, **Space-Time Diversity**. [2] V.Tarokh, H.Jafarkhani, and ARCalderbank, ...

www.signal.uu.se/Publications/pdf/c0125.pdf - [Similar pages](#)

[PDF] [Angle and Delay Estimation of Space-Time Channels for TD-CDMA Systems](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... is larger than the **coherence time** of the fading, ... depends on the **space/time**

diversity. of the propagation environment and can be set to a fixed value ...

www.elet.polimi.it/dsp/tlc/PDF-files/picheralwir.pdf - [Similar pages](#)

[PDF] [Angle and Delay Estimation of Space-Time Channels for TD-CDMA Systems](#)

File Format: PDF/Adobe Acrobat

... is larger than the **coherence time** of the fading, ie, . The fading correlation

that could ... in Section V show that depends on the **space/time diversity** ...

ieeexplore.ieee.org/iel5/7693/28829/01296629.pdf - [Similar pages](#)

[PDF] [Optimal antenna diversity signaling for wide-band systems ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... smaller than channel **coherence time**, accurate measurement ... [5] G. Ganesan and

P. Stoica, "**Space-time diversity** using orthogonal and ...

dune.ece.wisc.edu/pdfs/onggo_com_div02.pdf - [Similar pages](#)

[PS] [High-Rate Codes that are Linear in Space and Time BABAK HASSIBI ...](#)

File Format: Adobe PostScript - [View as Text](#)

... (such as **space-time diversity**) without sacrificing mutual information. ...

coherence time of the channel, it can be varied to help the optimization (28) ...

mars.bell-labs.com/cm/ ms/what/mars/papers/highrate/ldc.ps - [Similar pages](#)

[PDF] [Transmit Diversity Vs Beamforming for Multi-User OFDM Systems](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... 1. a) OFDM system with beamforming operation; b) **Space-Time diversity** in OFDM

system; ... orthogonal transmission block (ie **coherence time**, T ...

kom.aau.dk/~imr/papers/wpmc2004-paper-223.pdf - [Similar pages](#)

Citations: Capacity of Multi-antenna Gaussian Channels - Telatar ...

... be longer than the **coherence time** of the channel and the **coherence time** is ...

Space-Time Diversity Systems Based on Linear - Constellation Precoding Yan (Correct ...

citeseer.ist.psu.edu/context/869074/0 - 72k - [Cached](#) - [Similar pages](#)

[PDF] Non-Differential Space-Time Transmission Diversity in Fast Fading

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... efficiency. Keywords – **Space-Time Diversity**, Space-Time Coding, Detection, Fast Fading. I. INTRODUCTION **Space-Time Diversity** (STD ...

www.ctr.kcl.ac.uk/Private/Mischa/PIMRC2002/papers/cr1400.pdf - [Similar pages](#)

[PDF] Improving the performance of coded FDFR multi-antenna systems with ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... 'block-fading' refers to the channel **coherence time**. ... **Space-time diversity** systems. based on linear constellation precoding. IEEE Transactions on ...

spincom.ece.umn.edu/papers04/wcmc04rwang.pdf - [Similar pages](#)

[PDF] Contents

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... arated in time by more than the **coherence time** of the channel. Another drawback of time ... The general block diagram of a **space time diversity** system ...

www.s3.kth.se/radio/COURSES/ADCOM_2E1435_2004/book_ch5.pdf - Dec 14, 2004 - [Similar pages](#)

[PS] Great Expectations: The Value of Spatial Diversity in Wireless ...

File Format: Adobe PostScript - [View as Text](#)

... The **coherence time** is the time duration over which CIR can be assumed constant.

... at the receiver without sacrificing **space-time diversity** gains. ...

licos.epfl.ch/Papers/ProcIEEE.ps - [Similar pages](#)

[PS] ABSTRACT Title of Dissertation: Adaptive Quality of Service for ...

File Format: Adobe PostScript - [View as Text](#)

... The **coherence time** is a measure of how slowly the channel response changes;

... we have chosen for **space-time diversity** is described in Section 6.2. ...

www.ecse.rpi.edu/homepages/mercado/thesis.ps - [Similar pages](#)

TWUF · The Wireless University Forum

... cumulative distribution functions of RMS delay spread, **coherence time**, ...

for the determination of angle of arrival and **space-time diversity**. ...

www.twuf.com/display_item.asp?type=profile&id=3 - 14k - [Cached](#) - [Similar pages](#)

[PDF] A new family of full rate, fully diverse space-time codes based on ...

File Format: PDF/Adobe Acrobat

... is quasi-static, that is, its **coherence time** is at least equal ... the **space-time**

diversity gain and the coding gain respectively, ...

dx.doi.org/10.1109/ISIT.2002.1023691 - [Similar pages](#)

[PDF] Uniform power allocation in MIMO channels: a game-theoretic ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... ficiently slow (the channel **coherence time** is much higher than ... [26] G.

Ganesan and P. Stoica, "**Space-time diversity**," in Signal Processing ...

gps-tsc.upc.es/array/Publications/journal/daniel_TransIT2003.pdf - Dec 14, 2004 - [Similar pages](#)

[PDF] Dept of Signal Theory and Communications Universitat Politecnica ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... with the k th user and n l t represents the thermal noise and all other external interferences Since the fading is slow i e the **coherence time** of the channel ...

gps-tsc.upc.es/comm/gonzalo/papers/gonzalo_bayona99.pdf - [Similar pages](#)

[[More results from gps-tsc.upc.es](#)]

[PDF] ["Additional Techniques for Capacity and Flexibility Enhancement ...](#)

File Format: PDF/Adobe Acrobat

... **coherence time** restrictions and reduces delay in the detection process. ...

"Beamforming in combination with **space-time diversity** for broad- ...

doi.wiley.com/10.1002/0470871385.ch6 - [Similar pages](#)

[PDF] [ESCORT](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... **Space-Time diversity** to increase the channel capacity or the error rate or

... has to be at least the **coherence time**. This **coherence time** is equivalent ...

www.ceit.es/escort/Deliverables/D2011-FV06-04-01.pdf - [Similar pages](#)

[PDF] [LINEAR PRECODING AND DECODING FOR MULTIPLE INPUT MULTIPLE OUTPUT ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... reaps a maximum of $M R M T$ -th order diversity gain. **Space-time diversity**

methods [15, 16, 19, 20, 31, 38, 42, 39] assume that the re- ...

www.hemanthsampath.com/Files/Thesis.pdf - [Similar pages](#)

[@TECHREPORT{CERT02:Overview, AUTHOR="CE RT Coordination Center ...](#)

... apply beamforming in combination with different **space-time diversity** techniques.

... The measured median **coherence time** is at least a few seconds for ...

www.cs.columbia.edu/~hgs/bib/net02.bib - 513k - [Cached](#) - [Similar pages](#)

In order to show you the most relevant results, we have omitted some entries very similar to the 23 already displayed.

If you like, you can [repeat the search with the omitted results included](#).



Free! [Google Desktop Search](#): Search your own computer.

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2004 Google



Web Images Groups^{New!} News Froogle [more »](#)

"space diversity" "coherence time" interleaver

[Advanced Search](#)
[Preferences](#)

Web Results 1 - 22 of about 25 for "**space diversity**" "**coherence time**" interleaver "**time diversity**". (0.23 seconds)

Did you mean: "**space diversity**" "**coherence time**" *interleaved* "**time diversity**"

[PPT] [Space-Time Coding](#)

File Format: Microsoft Powerpoint 97 - [View as HTML](#)

... $T_d=1/f_d$ (**coherence time**). $T_s \ll T_d$ for time non-selectivity. ... **Space diversity** at transmitter end. ... **Interleaver** and deinterleaver as solution. ...

[www.ugres.ee.ucla.edu/images/upload/ S_Wong_Space-Time%20Coding%20presentation%20final.ppt](http://www.ugres.ee.ucla.edu/images/upload/S_Wong_Space-Time%20Coding%20presentation%20final.ppt) - [Similar pages](#)

[PDF] [Equalization, Diversity, and Channel Coding](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... diversity, **time diversity** Page 3. NCCU Wireless Comm. ... fading Antenna diversity (or **space diversity**) • Performance for M branch selection diversity (see Fig.11) ...

[www.ee.ccu.edu.tw/~wl/wireless_class/ Chapter7%20Equalization,%20Diversity,%20and%20Channel%20Coding.pdf](http://www.ee.ccu.edu.tw/~wl/wireless_class/Chapter7%20Equalization,%20Diversity,%20and%20Channel%20Coding.pdf) - [Similar pages](#)

[PDF] [Project 3 Direct-Sequence Spread-Spectrum Systems and Diversity on ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... We also investigated **space diversity** by using two antennas. ... There are several different definitions of **coherence time** T ... by using a chip **interleaver** with a ...

[www.s2.chalmers.se/undergraduate/courses0304/ ess036/doc/Project3.DS-SS.ess036.Mar04.RevA.pdf](http://www.s2.chalmers.se/undergraduate/courses0304/ess036/doc/Project3.DS-SS.ess036.Mar04.RevA.pdf) - [Similar pages](#)

[PDF] [Diversity Techniques and Error Control Coding Objective of ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... **Time Diversity** Page 3. 5 ... **Coherence time** • Coherence bandwidth 6 **Space Diversity** • Spatial diversity usually implies receive diversity, ...

[www.site.uottawa.ca/~yongacog/ courses/elg4174/diversity-error_control.pdf](http://www.site.uottawa.ca/~yongacog/courses/elg4174/diversity-error_control.pdf) - [Similar pages](#)

[PDF] [Chapter 4](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... If these paths are resolvable and the channel **coherence time** ... situation a prohibitively long block is needed by the **interleaver** [18]. **Space diversity** using ...

[www.library.unisa.edu.au/adtt-root/uploads/ approved/adtt-SUSA-20030613-134628/public/07chapter6.pdf](http://www.library.unisa.edu.au/adtt-root/uploads/approved/adtt-SUSA-20030613-134628/public/07chapter6.pdf) - [Similar pages](#)

[AP-2000 Abstract # 548](#)

... with Viterbi algorithm, an **interleaver** and a ... adaptive antennas provide **space diversity** while interleaving ... delay, Doppler shift, **coherence time**, average fading ...

www.estec.esa.nl/ap2000/abstracts/a00548.html - 5k - [Cached](#) - [Similar pages](#)

[PDF] [Bandwidth- and power-efficient multicarrier multiple access ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... 2. Specifically, the binary information bits are encoded by the convolutional encoder and interleaved by the bit **interleaver**. After ...

spincom.ece.umn.edu/papers04/com03nov.pdf - [Similar pages](#)

[PDF] [Improving the performance of coded FDFR multi-antenna systems with ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... KEY WORDS: **space-time**; **diversity**; V-BLAST; FDFR; turbo decoding ... Allowing for long block or large **interleaver** sizes, thus assuming unconstrained encoding and ...

spincom.ece.umn.edu/papers04/wcmc04rwang.pdf - [Similar pages](#)

[PDF] [MIMO channel models](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... The growing demand of increasing the capacity has pushed researches into investigation of space domains, beamforming, use of **space diversity**/ "smart antennas ...
www.ep.liu.se/exjobb/itn/2004/ed/004/exjobb.pdf - [Similar pages](#)

[PDF] IST-2000-30173 STINGRAY Deliverable 3D1 Adaptivity and ...

File Format: PDF/Adobe Acrobat

Page 1. IST-2000-30173 STINGRAY Deliverable 3D1 Adaptivity and Reconfigurability Framework, Options and Modules Contractual Date ...

w3dpdext1.intranet.gr/stingray_docs/ stingray_3D1_public.pdf - [Similar pages](#)

[PDF] PubTeX output 1998.09.21:1047

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... This leads us to define another channel parameter, called the channel **coherence time** as (2.1.3) Thus a slowly fading channel has ...

wsl.stanford.edu/~ee359/shamai_tut.pdf - [Similar pages](#)

[PDF] MIMO Communication Systems

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Page 1. MIMO Communication Systems -Performance Limits and Practice- Convener : Tad Matsumoto (NTT DoCoMo) Panelists :Prof. Helmut ...

wpmc01.cpk.auc.dk/pdf/AalborgPanel.pdf - [Similar pages](#)

[PDF] Space Frequency Block Codes and Code Division Multiplexing in OFDM ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... time block codes [3] exploits time and **space diversity** and achieves ... for detection and avoids the problem with **coherence time** restrictions and ... The **interleaver** ...

www.kn-s.dlr.de/People/Kaiser/ Papers/GLOBECOM2003_Kaiser.pdf - [Similar pages](#)

[PDF] Ecient Use of Fading Correlations in MIMO Systems

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... NB Availability of **Time Diversity** ,! Sample-Mean Outage Capacity 4 t
C t Usage Time **Coherence Time** Tuse Tcoh 1. T use T coh ,! ...

www.nws.ei.tum.de/~miiv/publ/FallVTC2001_poster.pdf - [Similar pages](#)

[PDF] IST-1999-10025, WIND-FLEX D2.2 Specification of baseband ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... 48 4.4.3 **Interleaver**----- 48 4.4.4 Puncturing ... **interleaver**, ...

www.vtt.fi/ele/research/tel/ projects/windflexdeliverables/d2_2_final.pdf - [Similar pages](#)

[PDF] Transmit Power Control in Fixed Cellular Broadband Wireless ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... Interleaving is a form of **time diversity** that is employed to disperse bursts of ... The **interleaver** performance depends on memory required for data storage and the ...

www.sce.carleton.ca/faculty/ yanikomeroğlu/Pub/salamah_thesis.pdf - [Similar pages](#)

[PDF] Efficient Digital Communication over the Time Continuous Rayleigh ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... independence is the **interleaver**, which spreads ... (**space diversity**), different frequencies (frequency diversity), different ... Now consider **time diversity**, which is ...

www.ce.chalmers.se/TCT/publications/theses/UH_phd.pdf - [Similar pages](#)

Bandwidth Market, Ltd

... of various amounts of frequency, time and **space diversity**. ... on the order of the channel **coherence time**. ... achieve error randomization, the **interleaver** must ensure ...

www.telemarket.org/resources/ patents/data37/5283780.html - 101k - Supplemental Result - [Cached](#) - [Similar pages](#)

[PDF] Antenna diversity, coding and interleaving technologies for low ...

File Format: PDF/Adobe Acrobat

... time interval and the **coherence time** of a ... convolutional encoder, an **interleaver** and

• Google Search: "space diversity" "coherence time" interleaver "time diversity"

a Quadrature ... domains (combining provides **space diversity** while interleaving ...
ieeexplore.ieee.org/iel5/6678/18000/00833701.pdf - [Similar pages](#)

[PS] [Smart Antennas for Wireless](#)

File Format: Adobe PostScript - [View as Text](#)

... should be greater than the **coherence time** of the ... is conventionally used to obtain **space diversity** and it ... interleaved by a block symbol-by-symbol **interleaver**. ...

cenwit.ee.ust.hk/postscript/kitthesis.ps - [Similar pages](#)

[PDF] ["Additional Techniques for Capacity and Flexibility Enhancement". ...](#)

File Format: PDF/Adobe Acrobat

... **Time diversity**: Time interleaving in combination with channel coding provides replicas ... the following figures also include a frequency **interleaver** and a ...

doi.wiley.com/10.1002/0470871385.ch6 - [Similar pages](#)

[PS] [University of California](#)

File Format: Adobe PostScript - [View as Text](#)

... On the one hand, this increases the **time diversity** of the channel, which can be exploited with coding and interleaving, because in a given time ... **INTERLEAVER** ...

www.ee.ucla.edu/~chkomn/mythesis.ps - [Similar pages](#)

In order to show you the most relevant results, we have omitted some entries very similar to the 22 already displayed.

If you like, you can repeat the search with the omitted results included.

Did you mean to search for: "space diversity" "coherence time" ***interleaved*** "time diversity"



Free! [Google Desktop Search](#): Search your own computer.


"space diversity" "coherence time"

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)






[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2004 Google


[Yahoo!](#) [My Yahoo!](#) [Mail](#) Welcome, **Guest** ([Sign In](#))[Search Home](#) [Help](#)

YAHOO! SEARCH [Web](#) | [Images](#) | [Directory](#) | [Local](#) NEW! | [News](#) | [Products](#) 

[Shortcuts](#) [Advanced Search](#) [Preferences](#)**Search Results** Results 1 - 5 of about 7 for "**space diversity**" "**coherence time**" interleaver "**time diversity**"

1. [Diversity and Coding \(PDF\)](#) 
... different locations (**space diversity**) different frequencies (**time diversity**) ... shorter than the **coherence time**
[www.ece.ubc.ca/~edc/563/lectures/lec6.pdf](#) - 18k - [View as html](#) - [More from this site](#)
2. [Fall VTC2000 Conference Program Tuesday through Thursday](#) 
Fall VTC2000 Conference Program Tuesday through Thursday Fall VTC2000 Conference Program Tuesday thro
as entered by the author ...
[www.cybercom.net/~slipoff/vtc2000/toc.html](#) - 525k - [Cached](#) - [More from this site](#)
3. [E cient Use of Fading Correlations in MIMO Systems \(PDF\)](#) 
... Availability of **Time Diversity**. Sample-Mean Outage Capacity ... Usage Time. **Coherence Time**. T ... 16QAM.
[newserver.eepis-its.edu/~puja/FallVTC2001_poster.pdf](#) - 319k - [View as html](#) - [More from this site](#)
4. [AP-2000 Abstract # 548](#) 
... Viterbi algorithm, an **interleaver** and a deinterleaver ... antennas provide **space diversity** while interleaving pro
[www.estec.esa.nl/ap2000/abstracts/a00548.html](#) - 4k - [Cached](#) - [More from this site](#)
5. [60 Wireless Communication](#)  - [Translate this page](#)
60 GHz Wireless Communication. Characteristics, system performance and hardware requirements. Master Thes
Noréus, EMW/UR. Arne Alping, EMW/UR. Maxime Flament, CTH
[arnaud.labouebe.free.fr/ericsson.htm](#) - 528k - [Cached](#) - [More from this site](#)

In order to show you the most relevant results, we have omitted some entries very similar to the ones already displayed.
If you like, you can [repeat the search with the omitted results included](#).

[Web](#) | [Images](#) | [Directory](#) | [Local](#) NEW! | [News](#) | [Products](#)  Your Search:

Help us improve your search experience. [Send us feedback](#).

Create your own personal search experience with [My Yahoo! Search](#) [BETA]

Copyright © 2004 Yahoo! Inc. All rights reserved. [Privacy Policy](#) - [Terms of Service](#) - [Submit Your Site](#) - [Job Openings](#)

[IEEE HOME](#) | [SEARCH IEEE](#) | [SHOP](#) | [WEB ACCOUNT](#) | [CONTACT IEEE](#)[Membership](#) | [Publications/Services](#) | [Standards](#) | [Conferences](#) | [Careers/Jobs](#)**IEEE Xplore**
RELEASE 1.8Welcome
United States Patent and Trademark Office[Help](#) | [FAQ](#) | [Terms](#) | [IEEE Peer Review](#)[Quick Links](#)[» Search Results](#)**Welcome to IEEE Xplore®**

- ☐ [Home](#)
- ☐ [What Can I Access?](#)
- ☐ [Log-out](#)

Tables of Contents

- ☐ [Journals & Magazines](#)
- ☐ [Conference Proceedings](#)
- ☐ [Standards](#)

Search

- ☐ [By Author](#)
- ☐ [Basic](#)
- ☐ [Advanced](#)
- ☐ [CrossRef](#)

Member Services

- ☐ [Join IEEE](#)
- ☐ [Establish IEEE Web Account](#)
- ☐ [Access the IEEE Member Digital Library](#)

IEEE Enterprise

- ☐ [Access the IEEE Enterprise File Cabinet](#)


Print Format

[Home](#) | [Log-out](#) | [Journals](#) | [Conference Proceedings](#) | [Standards](#) | [Search by Author](#) | [Basic Search](#) | [Advanced Search](#) | [Join IEEE](#) | [Web Account](#) | [New this week](#) | [OPAC Linking Information](#) | [Your Feedback](#) | [Technical Support](#) | [Email Alerting](#) | [No Robots Please](#) | [Release Notes](#) | [IEEE Online Publications](#) | [Help](#) | [FAQ](#) | [Terms](#) | [Back to Top](#)

Your search matched **0** of **1103149** documents.A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance** in **Descending** order.**Refine This Search:**

You may refine your search by editing the current search expression or entering a new one in the text box.

☐ Check to search within this result set**Results Key:****JNL** = Journal or Magazine **CNF** = Conference **STD** = Standard**Results:****No documents matched your query.**

[IEEE HOME](#) | [SEARCH IEEE](#) | [SHOP](#) | [WEB ACCOUNT](#) | [CONTACT IEEE](#)[Membership](#) | [Publications/Services](#) | [Standards](#) | [Conferences](#) | [Careers/Jobs](#)**IEEE Xplore[®]**
RELEASE 1.8Welcome
United States Patent and Trademark Office[Help](#) | [FAQ](#) | [Terms](#) | [IEEE Peer Review](#)[Quick Links](#)[» Search Results](#)**Welcome to IEEE Xplore[®]**

- ☐ [Home](#)
- ☐ [What Can I Access?](#)
- ☐ [Log-out](#)

Tables of Contents

- ☐ [Journals & Magazines](#)
- ☐ [Conference Proceedings](#)
- ☐ [Standards](#)

Search

- ☐ [By Author](#)
- ☐ [Basic](#)
- ☐ [Advanced](#)
- ☐ [CrossRef](#)

Member Services

- ☐ [Join IEEE](#)
- ☐ [Establish IEEE Web Account](#)
- ☐ [Access the IEEE Member Digital Library](#)

IEEE Enterprise

- ☐ [Access the IEEE Enterprise File Cabinet](#)

Your search matched **0** of **1103149** documents.A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance** in **Descending** order.**Refine This Search:**

You may refine your search by editing the current search expression or entering a new one in the text box.

☐ Check to search within this result set**Results Key:****JNL** = Journal or Magazine **CNF** = Conference **STD** = Standard**Results:****No documents matched your query.** [Print Format](#)[Home](#) | [Log-out](#) | [Journals](#) | [Conference Proceedings](#) | [Standards](#) | [Search by Author](#) | [Basic Search](#) | [Advanced Search](#) | [Join IEEE](#) | [Web Account](#) | [New this week](#) | [OPAC Linking Information](#) | [Your Feedback](#) | [Technical Support](#) | [Email Alerting](#) | [No Robots Please](#) | [Release Notes](#) | [IEEE Online Publications](#) | [Help](#) | [FAQ](#) | [Terms](#) | [Back to Top](#)

Copyright © 2004 IEEE — All rights reserved

IEEE HOME | SEARCH IEEE | SHOP | WEB ACCOUNT | CONTACT IEEE



Membership Publications/Services Standards Conferences Careers/Jobs

IEEE Xplore®
 RELEASE 1.8

 Welcome
 United States Patent and Trademark Office

[Help](#) [FAQ](#) [Terms](#) [IEEE Peer Review](#)
[Quick Links](#)

» Search Results

Welcome to IEEE Xplore®

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

Tables of Contents

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

Search

- ☐ By Author
- ☐ Basic
- ☐ Advanced
- ☐ CrossRef

Member Services

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library

IEEE Enterprise

- ☐ Access the IEEE Enterprise File Cabinet

Print Format

Your search matched **7** of **1103149** documents.A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance in Descending** order.**Refine This Search:**

You may refine your search by editing the current search expression or entering a new one in the text box.

☐ Check to search within this result set
Results Key:**JNL** = Journal or Magazine **CNF** = Conference **STD** = Standard
1 Iterative diversity detection for correlated continuous-time Rayleigh fading channels
Hansson, A.A.; Aulin, T.M.;

Communications, IEEE Transactions on , Volume: 51 , Issue: 2 , Feb. 2003

Pages:240 - 246

[\[Abstract\]](#) [\[PDF Full-Text \(425 KB\)\]](#) **IEEE JNL**
2 Measurements of base station two-branch space and polarization diversity reception and a comparison of the diversity gain based on the CDF of signal level and simulations of BER in a GSM system
Emmer, D.; Humburg, E.; Weber, P.; Weckerle, M.;

Vehicular Technology Conference, 1998. VTC 98. 48th IEEE , Volume: 1 , 18-21 May 1998

Pages:5 - 10 vol.1

[\[Abstract\]](#) [\[PDF Full-Text \(568 KB\)\]](#) **IEEE CNF**
3 On improved bounds on the decoding error probability of block codes over interleaved fading channels, with applications to turbo-like codes
Sason, I.; Shamai, S.;

Information Theory, IEEE Transactions on , Volume: 47 , Issue: 6 , Sept. 2001

Pages:2275 - 2299

[\[Abstract\]](#) [\[PDF Full-Text \(644 KB\)\]](#) **IEEE JNL**
4 Impact of diversity reception on fading channels with coded modulation. I. Coherent detection
Ventura-Traveset, J.; Caire, G.; Biglieri, E.; Taricco, G.;

Communications, IEEE Transactions on , Volume: 45 , Issue: 5 , May 1997

Pages:563 - 572

[\[Abstract\]](#) [\[PDF Full-Text \(440 KB\)\]](#) **IEEE JNL**

5 Improved upper bounds on the ML performance of turbo codes for interleaved Rician fading channels, with comparison to iterative decoding

Sason, I.; Shamai, S.;

Communications, 2000. ICC 2000. 2000 IEEE International Conference on , Volume: 2 , 18-22 June 2000

Pages:591 - 596 vol.2

[\[Abstract\]](#) [\[PDF Full-Text \(436 KB\)\]](#) [IEEE CNF](#)

6 A comparison of inner coding options for adaptive MIMO OFDM systems

Gallo, A.S.; Bizzarri, E.; Vitetta, G.M.; Marciniak, M.;

Transparent Optical Networks, 2003. Proceedings of 2003 5th International Conference on , Volume: 2 , 29 June-3 July 2003

Pages:141 - 144 vol.2

[\[Abstract\]](#) [\[PDF Full-Text \(434 KB\)\]](#) [IEEE CNF](#)

7 Space-time codes performance criteria and design for frequency selective fading channels

Youjian Liu; Fitz, M.P.; Takeshita, O.Y.;

Communications, 2001. ICC 2001. IEEE International Conference on , Volume: 9 , 11-14 June 2001

Pages:2800 - 2804 vol.9

[\[Abstract\]](#) [\[PDF Full-Text \(420 KB\)\]](#) [IEEE CNF](#)

[Home](#) | [Log-out](#) | [Journals](#) | [Conference Proceedings](#) | [Standards](#) | [Search by Author](#) | [Basic Search](#) | [Advanced Search](#) | [Join IEEE](#) | [Web Account](#) | [New this week](#) | [OPAC Linking Information](#) | [Your Feedback](#) | [Technical Support](#) | [Email Alerting](#) | [No Robots Please](#) | [Release Notes](#) | [IEEE Online Publications](#) | [Help](#) | [FAQ](#) | [Terms](#) | [Back to Top](#)

Copyright © 2004 IEEE — All rights reserved

IEEE HOME | SEARCH IEEE | SHOP | WEB ACCOUNT | CONTACT IEEE



Membership Publications/Services Standards Conferences Careers/Jobs

IEEE Xplore®
RELEASE 1.8

 Welcome
United States Patent and Trademark Office

[Help](#) [FAQ](#) [Terms](#) [IEEE Peer Review](#)
[Quick Links](#)

» Search Results

Welcome to IEEE Xplore®

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

Tables of Contents

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

Search

- ☐ By Author
- ☐ Basic
- ☐ Advanced
- ☐ CrossRef

Member Services

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library

IEEE Enterprise

- ☐ Access the IEEE Enterprise File Cabinet

Print Format

Your search matched **3** of **1103149** documents.A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance** in **Descending** order.

Refine This Search:

You may refine your search by editing the current search expression or entering a new one in the text box.

☐ Check to search within this result set

Results Key:

JNL = Journal or Magazine CNF = Conference STD = Standard

1 Spectrally efficient multiuser space-time modulation

Brehler, M.; Varanasi, M.K.;

Information Theory, 2002. Proceedings. 2002 IEEE International Symposium on , 2002
Pages:337
[\[Abstract\]](#)
[\[PDF Full-Text \(239 KB\)\]](#)

IEEE CNF

2 Time limited and bandwidth constrained signal design for the fast fading noncoherent MIMO channel

McCloud, M.L.; Varanasi, M.K.;

Communications, 2004 IEEE International Conference on , Volume: 6 , 20-24 June 2004

Pages:3168 - 3172 Vol.6

[\[Abstract\]](#)
[\[PDF Full-Text \(309 KB\)\]](#)

IEEE CNF

3 On performance limits of MIMO-OFDM systems over block-fading channels

Fozunbal, M.; McLauhin, S.W.; Schafer, R.W.;

Wireless Communications and Networking Conference, 2004. WCNC. 2004 IEEE , Volume: 2 , 21-25 March 2004

Pages:976 - 980 Vol.2

[\[Abstract\]](#)
[\[PDF Full-Text \(299 KB\)\]](#)

IEEE CNF

[Home](#) | [Log-out](#) | [Journals](#) | [Conference Proceedings](#) | [Standards](#) | [Search by Author](#) | [Basic Search](#) | [Advanced Search](#) | [Join IEEE](#) | [Web Account](#) | [New this week](#) | [OPAC Linking Information](#) | [Your Feedback](#) | [Technical Support](#) | [Email Alerting](#) | [No Robots Please](#) | [Release Notes](#) | [IEEE Online Publications](#) | [Help](#) | [FAQ](#) | [Terms](#) | [Back to Top](#)





Copyright © 2004 IEEE — All rights reserved

Search Results

□\$B"#□(B Search of Full Paper

Word count: [space: 3413] [diversity: 712] [coherence: 198] [time: 8300] [interleaver: 129] [time: 8300]
 [diversity: 712]

Total 2 documents match your query.

Vol.No. pp.x-x	Type	Category	Title	Author	-	-
Vol.E85-C No.3 pp.466-472	PAPER	□\$B!!□(B	Performance of Block Turbo Codes in a HIPERLAN/2 Office Environment	Nadine CHAPALAIN Nathalie Le HENO Damien CASTELAIN Ramesh Mahendra PYNDIAH		
Vol.E86-B No.3 pp.1157-1162	LETTER	Wireless Communication Technology	Performance of Iterative Receiver for Joint Detection and Channel Estimation in SDM/OFDM Systems	SeungYoung PARK BoSeok SEO ChungGu KANG		

Current List: 1 - 2**Page: [1]**
Search String:
[how to search](#)**SEARCH**

This search system is powered by Namazu v1.3.0.6

All Rights Reserved, Copyright (c) 1999 The Institute of Electronics, Information and Communication
 Engineers

[About Us](#)

[Newsroom](#)

[Advisory Board](#)

[Submit Web Site](#)

[Search Tips](#)

[Contact Us](#)

Basic Search

[Advanced Search](#) [Search Preferences](#)

"space diversity" "coherence time" interleaver "time di"

☒ All journal sources ☒ All Web sources ☐ Exact phrase

Searched for:: All of the words: "space diversity" "coherence time" interleaver "time diversity"

Found:: :13 total | 0 journal results | [13 Web results](#)

Sort by:: :relevance | [date](#)

- ☐ **1. TRANSACTIONS INFORMATION THEORY,**
Apr 2000
...Typical examples the **space--time** codes, which attempt...capacity of spatial **diversity** transmission reception...response changing with **time**. This leads define...called channel **coherence** as (2.1.3) a slowly...fading channel small **coherence time**. relationship...
[more hits from](#) [<http://wsl.stanford.edu/~ee392f/bigshamai.ps>] [similar results](#)
- ☐ **2. No Title**
Jun 1996
...direct-sequence CDMA or **time**-division multiple...such as antenna **diversity** with equal-gain...carrier frequency. · **Coherence** Bandwidth $\sim 1/m$...types of antenna **diversity** combining techniques...as the baseline **diversity** combining scheme...in the frequency, **time**, or code domain...
[http://www.icsl.ucla.edu/aagroup/PDF_files/tcwr-arch.p...] [similar results](#)
- ☐ **3. A TAXONOMY OF SPACETIME PROCESSING FOR**
May 1998
...performing **spacetime** processing...improved receive **diversity**, offers higher...improves transmit **diversity** and in some...taxonomy of **spacetime** processing...to maximize **diversity** gain while...decoupled and joint **spacetime** approaches...
[<http://www.signal.uu.se/Publications/psu/p981.ps>] [similar results](#)
- ☐ **4. CHAPTER 4**
Dec 2000
...both Professors was a honour and a life **time** experience for me. My praise to my parents...28 3.7 **Diversity**...33 Figure 4.2 **Time** correlation filter for Rician fading...
[more hits from](#) [<http://www.sce.carleton.ca/faculty/yanikomeroğlu/Pub/s...>] [similar results](#)
- 5. AP-2000 Abstract # 548**

Refine your search using these keywords found in the results:

[decoding](#)

[fading channels](#)

[ieee transactions](#)

[power control](#)

[rayleigh fading](#)

[transmitter](#)

[wireless communication](#)

Or refine using:

All of the words

- ☐ Feb 2000
...Abstract # 548 **Space-Time** Adaptive Signal...Interleaving is a form of **time diversity** that averages...antennas provide **space diversity** while interleaving provides **time diversity**.
In...Doppler shift, **coherence time**, average...
[http://www.estec.esa.nl/ap2000/abstracts/a00548.html]
[similar results](#)

- ☐ 6. [wcm092.dvi](#)
Dec 2002
...field coding **space-time** coding **diversity** capacity complexity...well-appreciated merits. **Diversity** comes in different flavors: **time**, frequency, or **space** [1].
Modulation...ensure **space diversity** (see also Reference...LCF-based **space-time** coding (STC...
[more hits](#)
from [http://spincom.ece.umn.edu/papers04/mg02wcmc.pdf]
[similar results](#)

- ☐ 7. [Microsoft Word - 01front_pages.doc](#)
Mar 2004
...spread and channel **coherence time**...spread (fD) and channel **coherence time** (T0) for carrier frequency...at Eb/I0 = 7 dB with **diversity** antenna arrays (MRC...symbol period T0 channel **coherence time** Tp power control interval...
[http://www.itr.unisa.edu.au/rd/pubs/thesis/ak.pdf]
[similar results](#)

- ☐ 8. [No Title](#)
Feb 2001
...relative to capacity 42 5 **Diversity** Reception in Flat Fading 48 5.1 Transmission...62 5.3.1 Capacity with receiver **diversity** 64 5.4...7 Receiver expansion in the processing **time** axis. 35 4.8 BER...
[http://www.ee.ucla.edu/~chkomn/mythesis2.pdf]
[similar results](#)

- ☐ 9. [NONITERATIVE DIGITAL BEAMFORMING IN CDMA](#)
May 1999
...selective) and nonzero **time** delay spread (frequency...beamsteeredRAKE and **diversity** combining in both...Beamforming against **Diversity** combining...134 v A Zero **time** delay spread propagation...th mobile's k th **diversity** path x (k) The received...vector received at **time** index k r(t) Received...
[http://ipcl.ee.queensu.ca/PAPERS/thesis_shiuw.ps]
[similar results](#)

- ☐ 10. [PubTeX output 1998.09.21:1047](#)
Nov 2000
...Typical examples are the **spacetime** codes, which attempt...capacity of spatial **diversity** in transmission and...called the channel **coherence time** as (2.1.3) Thus a slowly...channel has a large **coherence time** and a fast fading channel...
[http://wsl.stanford.edu/~ee359/shamai_tut.pdf]
[similar results](#)

fast :::

[Download Search Box](#) | [Tell A Friend](#) | [Terms Of Service](#) | [Privacy Policy](#) | [Legal](#)

Powered by [FAST](#) © Elsevier 2004



SCIENCE @ DIRECT

Register or Login: Password: [Home](#) [Search](#) [Journals](#) [Books](#) [Abstract Databases](#) [My Profile](#) [Alerts](#)

Help

Quick Search: within [All Full-text Sources](#) Search Tips

results 1 - 2

2 Articles Found

pub-date > 1993 and space diversity AND coherence time

[Edit Search](#) | [Save Search](#) | [Save as Search Alert](#) ☐ ☐ ☐ View: [Citations](#) Sort By: [Date](#)

1. ☐ **Delayed two-streams division, a diversity technique to improve signal transmission in relatively fast flat fading channels[★] • ARTICLE**
Signal Processing, In Press, Uncorrected Proof, Available online 15 December 2004,
Mohammad Ali Khalighi and Laurent Ros
[Abstract](#)
2. ☐ **Code-timing synchronization in DS-CDMA systems using space-time diversity^{*1} • ARTICLE**
Signal Processing, Volume 81, Issue 8, August 2001, Pages 1581-1602
Gonzalo Seco, Juan A. Fernández-Rubio and A. Lee Swindlehurst
[Abstract](#)

2 Articles Found

pub-date > 1993 and space diversity AND coherence time

[Edit Search](#) | [Save Search](#) | [Save as Search Alert](#)

results 1 - 2

[Home](#) [Search](#) [Journals](#) [Books](#) [Abstract Databases](#) [My Profile](#) [Alerts](#)

Help

[Feedback](#) | [Terms & Conditions](#) | [Privacy Policy](#)

Copyright © 2004 Elsevier B.V. All rights reserved. ScienceDirect® is a registered trademark of Elsevier B.V.